

**STREAMLINE SUPPLY***Service, Supplies, Satisfaction, Simplified, Guaranteed***SAFETY DATA SHEET****Section 1: Chemical Product and Company Identification**

Product name: Condition All
Product Code: SS80
Chemical Use: Vinyl cleaner and dressing

Date Prepared: 4/15/15
Supersedes: New

Restrictions on use: Use in accordance with all Federal, State and local regulations.

Company Identification: Streamline Supply Inc.
460 N. 1000 W.
Centerville, Utah 84014

Manufactured by: Streamline Supply Inc.
460 N. 1000 W.
Centerville, Utah 84014

Emergency Telephone Numbers: **For Transportation Emergency:** PERS (800) 633-8253
For Medical Emergency: PERS (800) 633-8253 or (877) 350-5426
For SDS or other information: (877) 350-5426 or (801) 294-2980
Email: info@streamlinesupply.com
Fax: (801) 294-2626

Section 2: Hazard(s) Identification

GHS Classification: **Serious Eye Damage:** Category 1

GHS Label element

Hazard pictograms:



Signal Word: DANGER

Hazard Statements: H318 Causes serious eye damage

PRECAUTIONARY STATEMENTS:

General: Not applicable.

Prevention: Wash exposed skin thoroughly after handling.
Wear eye or face protection.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a doctor or poison center.

Storage: Not applicable.

Disposal: Not applicable.

Other hazards: None known

Section 3: Composition/Information on Ingredients**Substance/mixture:** Mixture**Chemical name:** Polydimethylsiloxane emulsion

HAZARDOUS INGREDIENTS	CAS NUMBER	% BY WEIGHT
Ethoxylated branched C11-14, C13 – rich alcohols	78330-21-9	1-5%

* The specific chemical identity of this composition is being withheld as a trade secret.

Trace components: Trace ingredients (if any) are present in < 1% concentration, (<0.1% for potential carcinogens, reproductive toxins, respiratory tract mutagens, and sensitizers). None of the trace ingredients contribute significant additional hazards at the concentrations that may be present in this product. All pertinent hazard information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalents, and Canadian Hazardous Materials Identification System Standard (CPR 4).

SEE SECTION 8, 11 AND 12 FOR TOXICOLOGICAL INFORMATION.

Section 4: First Aid Measures**First Aid Procedures:**

EYE CONTACT: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor or poison center.

IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and shoes. Wash these before reuse. If skin irritation occurs get medical attention.

INHALATION: Moved exposed person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

INGESTION: Do NOT induce vomiting unless directed to do so by medical personnel. Rinse mouth. If vomiting occurs, the head should be kept low so vomit does not enter the lungs. If affected person is conscious, small quantities of water to drink. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Protection of first aid personnel : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5: Fire-Fighting Measures

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Specific hazards arising from chemical : In a fire or if heated, a pressure increase will occur and the container may burst.

Section 5: Fire-Fighting Measures (continued)

- Hazardous thermal decomposition products** : Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.
- Special protective action for fire-fighters** : As in any fire, always wear self-contained breathing apparatus in pressure-demand (MSA/NIOSH approved or equivalent), and full protective gear. Use water spray or fog to cool exposed containers. Do not release runoff from fire to drains or watercourses.
- Specific Explosion Hazards** : If in fire or heated, a pressure increase will occur and the container may burst.

Section 6: Accidental Release Measures**Steps to Take in Case Material Is Released or Spilled:****Personal precautions, protective equipment and emergency procedures****For non-emergency personnel:**

Evacuate unnecessary personnel. Always use proper personal protective equipment as described in section 8. Avoid run-off into storm sewers and ditches that lead to waterways. Use inert material such as clay or diatomaceous earth to contain spill. Use these products to soak up material or mop or vacuum up spill and rinse with water.

For emergency responders:

Wear proper protection during cleanup. PVC, nitrile or rubber. Ventilate area.

Environmental precautions:

Avoid run-off into storm sewers and ditches that lead to waterways. Use inert material such as clay or diatomaceous earth to contain spill.

Methods and material for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with and inert dry material and place in an appropriate waste disposal container. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13 of SDS). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.

Contain spilled material for disposal according to Federal, State, and local regulations.

Section 7: Handling and Storage**Precautions for safe handling**

- Protective measures** : Put on appropriate personal protective equipment (see section 8 of SDS). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous.

Section 7: Handling and Storage (continued)**Precautions for safe handling (continued)**

Advice on general occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities :

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Precautions: Always use proper personal protective equipment as described in section 8. Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Remove contaminated clothing and wash before reuse. Do not ingest. Use with adequate ventilation. Avoid breathing vapor or mist. Do not reuse container. Observe label precautions and direction for use.

Storage: Store in original container protected from direct sunlight in a dry, cool and well-ventilated area. Store away from strong acids and oxidizing materials. Keep away from food and drinks. Store between 40° F- 120° F. Keep out of reach of children and pets. Keep in a tightly closed container.

Section 8: Exposure Controls/Personal Protection**Control parameters**

Occupational exposure limits : None

Appropriate engineering controls : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Engineering Measures : Facilities storing or using the material should be equipped with eyewash station.

Individual Protection

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Section 8: Exposure Controls/Personal Protection (continued)**Individual Protection (continued)****Skin protection**

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134). Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9: Physical Data

Appearance: Liquid white, Pina-colada

Odor: Pina Colada

Odor Threshold: No data available

pH: 6-8

Melting/freezing Point: No data available

Boiling Point: No data available

Boiling Range: No data available

Flash Point: No data available

Evaporation Rate: No data available

Upper /lower flammability or

Explosive Limits: No data available

Vapor Pressure: No data available

Vapor Density (Air =1): No data available

Relative density: 1

Weight/gallon: 8.3 lbs.

Solubility in Water: Soluble in water

Partition coefficient

n-octanol/water): No data available

Auto-ignition Temperature: No data available

Decomposition Temperature: No data available

Viscosity: No data available

Other Information: No additional data available.

Section 10: Stability and Reactivity

- Reactivity** : Stable under normal conditions.
- Chemical Stability** : Stable under normal temperatures and pressures.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to Avoid:** Extreme high or low temperatures.
- Incompatibility With Various Substances** : No specific data.
- Hazardous Decomposition Products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11: Toxicological Information**Information on toxicological effects****Acute Toxicity**

Conclusion/Summary : Not determined

Irritation/Corrosion**Conclusion/Summary**

Skin : Not determined

eyes : Not determined

Respiratory : Not determined

Sensitization**Conclusion/Summary**

Skin : Not determined

Respiratory : Not determined

Mutagenicity

Conclusion/Summary : Not determined

Carcinogenicity

Conclusion/Summary : Not determined

Reproductive toxicity

Conclusion/Summary : Not determined

Teratogenicity

Conclusion/Summary : Not determined

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Ethoxylated branched C11-14, C13-rich alcohols	Category 3		Respiratory tract irritation

Section 11: Toxicological Information (continued)

Information on toxicological effects (continued)

Specific target organ toxicity (repeated exposure): Not available

Aspiration hazard: Not available

Information on the likely routes of exposure : Not available

Potential acute health effects

Eye contact : Causes serious eye damage.
Inhalation : May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system.
Skin contact : No known significant effects or critical hazards.
Ingestion : May cause burns to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following: Pain, watering and redness
Inhalation : No specific data
Skin contact : Adverse symptoms may include the following: Pain or irritation and/or redness.
Ingestion : Adverse symptoms may include the following: Stomach pains.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available
Potential delayed effects : Not available

Long term exposure

Potential immediate effects : Not available
Potential delayed effects : Not available

Potential chronic health effects

Conclusion/Summary : Not determined

General : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.

Acute toxicity estimates

Route	ATE value
Oral	15,874.2 mg/kg

Ecological Information**Ecotoxicity**

Conclusion/Summary : Not available

Persistence/degradability

Conclusion/Summary : Not available

Mobility in soil

Soil/water partition coefficient (KOC): Not available

Other adverse effects :None known

Section 13: Disposal Information

Disposal Considerations: Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of this product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions found in 40 CFR 261.3. Dispose of container and unused contents in accordance with federal, state and local requirements.

Section 14: Transportation Information

Ground – DOT (US) Proper Shipping Name: Detergent Solution

Hazard Class: Non- Hazardous

U.N. Number: Not required

Section 15: Regulatory Information**SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (DeMinimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16: Other Information**Hazardous Materials Identification System (HMIS)**

NOTE: *HMIS* ratings use a numbering scale that ranges from 0 - 4 to indicate the degree of hazard. A value of zero means the chemical presents no hazard while a value of four indicates a high hazard. These ratings are based on the inherent properties of this chemical under expected conditions of normal use and are not intended to be used in emergency situations. PPE is determined by the user based on their needs and conditions.

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0

OVERVIEW

This information was compiled from current manufacturer's SDS's of the component parts of the product.

Disclaimer: The information contained herein is based on current knowledge and experience; no responsibility is accepted that the information is sufficient or correct in all cases. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment.

STREAMLINE SUPPLY INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, STREAMLINE SUPPLY INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.